

COMPANY PROFILE

COMMERCIAL/ INDUSTRIAL



EXCEEDING CUSTOMER EXPECTATIONS SINCE 1938.

www.dhtnet.com

INNOVATION & ENGINEERING

How we set ourselves apart.

Our name stands for performance, competence, and reliability in a wide range of products– since 1938. We know the industries, the markets, and technologies. We maintain close relationships and are a partner to our customers. With over 80 years of experience, we are looking towards the future, staying connected and surpassing expectations.

TABLE OF CONTENTS

INNOVATION & ENGINEERING	02
CONTENTS	03
ABOUT US	04
OUR CORE VALUES	05
KEY MILESTONES	06
THE DHT TEAM	07
OUR FACILITY	08
PRINCIPAL INSPECTION & TESTING INSTRUMENT	08
FACILITY & MACHINING EQUIPMENT	09
OUR PRODUCTS	10
CERTIFICATIONS	12
INDUSTRIES	15
CUSTOMERS	16
REFERENCE LIST	17
PROJECTS	18

ABOUT US

DHT is a leading manufacturing company of heat transfer equipment and systems for the residential, commercial, and industrial markets.



OUR STRENGTHS

- 80 Years of Operating Experience
- Management Team With Over 150+ Years Combine Experience.
- Highly Skilled Personnel
- Unmatched Quality
- Our Customers and Customer Loyalty

VISION

4

To become a world-class manufacturer of innovative heat transfer products throughout North America.

MISSION

To engineer and manufacture a family of high quality heat transfer products, while exceeding customer expectations and building lasting partnerships.

OUR CORE VALUES

DHT enjoys a strong reputation for integrity and commitment. Our core values are designed to help each one of us meet that obligation. We believe that when we apply these values in our everyday work, our company is positioned for success.



Be a high-performing and highly engaged diverse team that understands each of their roles and responsibilities within the organizational structure which in turn will strengthen employee talent to allow for greater customer focus, flexibility, and profitability.



Openly communicating, actively listening, challenging ideas and processes, and setting reasonable expectations to achieve the best possible outcome.



We conduct ourselves and our business affairs in accordance with the highest ethical standards, and in compliance with all applicable laws, striving always to be a respected corporate citizen.



We share a personal and professional commitment to protecting the safety and health of our employees, our engineers/ contractors, our customers and the people of the communities in which we operate.



QUALITY OF EXCELLENCE


We set exacting standards and strive for consistency and precision in everything we do. We are committed to continuously improving our capabilities. We passionately strive to exceed the expectations of our customers, colleagues, and shareholders and to win in the marketplace.



Striving for a workplace where opportunity, openness, enthusiasm, diversity, teamwork, accountability and a sense of purpose combine to provide a rewarding professional experience that promotes fairness, dignity, and respect for all employees.

KEY MILESTONES

To truly understand the DHT culture is to know the history. The people behind the name. The passion for better serving customers with a strong sense of purpose and value. The desire to continuously be the best and drive an industry forward.



THE DHT TEAM

We believe the strength in DHT is derived from the talents, ideas and experiences of our people.

EXECUTIVE MANAGEMENT TEAM

JAKE GOLDBERG

President/ CEO

NORMAN GOLDBERG Chairman, Residential Sales KEN KAPLAN Chairman, Lindy Coil Sales

LEADERSHIP TEAM

KEN BUDESA Controller

JEFF CHASEN VP Operations PETER RIMASSA VP of Engineering & Product Management

DEBBIE PURDY Director of Marketing / Sales LAURA MONTEMARANO Director of Human Resources

KEY TEAMS- CUSTOM COMMERCIAL/ INDUSTRIAL PROJECTS

ENGINEERING

- Peter Rimassa- Director of Engineering
- Yevgeniy Chudnovsky- Sr. Thermal Process Engineer
- Sarab Singh- Product Engineer


OPERATIONS

- Jeff Chasen- VP Operations
- Tara Kolankoski- Quality Inspector
- Jim Migliore- Production Supervisor
- Scott Adams- Shipping Supervisor
- (5) Qualified ASME Welders:
 - Carbon Steel
 - 304/316/AL6XN/Monel/Hastelloy, etc.
 - Full and Spot X-Ray
 - Ultrasonic Testing
 - Magnetic Particle Inspection
 - Liquid Penetrant Inspection
 - PMI

OUR FACILITY

Our facility is centrally located in Towaco, NJ, just 45 minutes west of NYC and 30 minutes from Newark Airport making it easy to service our customers nationwide. DHT maintains a clean and safe work environment, organized in lean manufacturing cells, to manufacture and deliver high quality heat transfer equipment.

Location: Towaco, NJ Manufacturing Area: 70,000 sq ft. Office Area: 5,000 sq ft. Employees: 70+



PRINCIPAL INSPECTION & TESTING INSTRUMENTS

Quality control processes are set up at every stage of production with the strictest of standards to adhere to; ensuring all production is of the highest quality.

- Pressure gauges from 30 PSIG to 3000 PSIG
- Calipers
- Micrometer
 - Weld Fillet Gages
 - High & Low welding Gages
 - Automatic Weld Size Gages
- Angle Meters

- Electronic Coating Thickness Gages
- Micro-finish Comparators Digital and Dial

- Hydro Test Stations
- Pneumatic Test Stations
- LPI Kit Test
- Flow Meters
- Infrared Thermometers
- Borescopic Inspection Tools
- Multi-meter Electrical Testing Instrument
- Electronic PID Simulation Testing & Commissioning Tool

FACILITY & MACHINING EQUIPMENT

All of our machines are maintained on a regular basis with a thorough preventative maintenance program. This ensures that close and consistent tolerances will be run on every part we machine.

Assembly Bays:

- (2) 40x120, 24ft high with 5 Ton overhead 18 ft under hook
- (2) 40x120, 24ft high with 1 Ton overhead 18 ft under hook

Lifting Capacity:

- (2) 10 ton cranes
- (2) 5 tone cranes

Cutting Equipment:

- Plate Shear
 - Wysong c/s 3/8" thk x 12"
 - S/S ¼" thk x 12"
 - Diamond pl. 1/4" x 12"
- Plasma Cutting- Lincoln Product 125
 - Oxy Acetylene Torch Table
 - Oxy Acetylene Beveling

Drilling:

- CNC Hurco- VMX64 (2006 High Speed thru spindle coolant drill)
- Radial:
 - Carlton 6' Swing
 - Hercules 5' Swing
 - Dimpo 5' Swing
 - Punching- CNC Amada Machine 2005

Machining:

- Lathes- (2) Horizontal Lathes 18'x4'
- Milling- (1) Cincinnati Horizontal Milling
- Boring- (2) Bullard Vertical Boring 40" x 3' HG

Welding:

- (1) Jet Line Automatic Seam Welding 10' long
- (1) Lincoln Mig Welding 400 Amp
- (1) Lincoln Mig Welding 600 Amp
- (1) L-Tec Mig Welding 400 Amp
- (2) Lincoln Mfg Welding 450 Amp
- (3) Lincoln Arc Welding 400 Amp
- (1) Nelson TRW Stud Welding 450 Amp
- (1) Lincoln Ideal Arc 200 Amp
- (1) Lincoln Mig Welding 600 Amp
- (4) Miller Maxten Helo Arc 450 Amp @ automatic wire feed
- (1) Fronius TPS 400i
- Ventilation Nedermath System

Bending:

(5) Hydraulic Tube bending machine- Pines
 & Wallace from ½' to 1 ½" diameter

Misc. Subcontract Items:

- Stress Relieving
- Sandblasting and paint
- Radiography
- PMI
 - Ultra Sonic
- Weld Harness

ASME Inspection Agency: Commercial Union

COMMERCIAL/ INDUSTRIAL PRODUCTS

Diversified Heat Transfer is world-class manufacturer of innovative heat transfer products.

ST SERIES

- Semi-Instantaneous Water Heaters- Steam-to-Water or Water-to-Water Available in single and double wall construction.
- Available in single and double wall construction.
- Copper (standard) and optional CuNi or SS bundle material of construction.
- Copper, Cu-Ni or SS material in contact with water (potable water).
- Fully packaged solution for quick and easy single point connections.
- Available in vertical or horizontal (optional) construction.
- Compact foot print- Fits through a standard doorway
- Standard trim is available up to 150 psi and optional up to 300 psi.
- Fully modulating energy input for precise temperature controls.
- Available in electronic or pneumatic controls.
- Advanced PID electronic controls compatible with Building Management Systems.
 - Certifications: ASME, UL (Controls)

- Indirect- Fired, Semi-Instantaneous Boiler Water- Fired Water Heater
- Available with a Single Wall & Double Wall heat exchanger (Brazed Plate or Plate & Frame)
- ±4°F temp control, 5°F Approach Temperature
- Fully modulating electronic 3-Way control valve
- Potable water: Stainless steel or copper alloys construction for domestic water
- Advanced electronic PID controls compatible with Building Management
 Systems
- Fully packaged solution for quick and easy single point connections
- Compact Footprint- unit can fit through standard doorways
- Compatible with Medium, Normal and Low Temperature Boiler Water
- Certifications: ANSI/AHRI 400, ASME, UL (Controls)

.....

- Recovery rates from 600 to 10,800 GPH with 180°F boiler water for 100°F temperature rise.
 - Tank Sizes ranging from 175 to 500 gallons standard. 750-1000 gallons special order
 - Domestic storage temperature control range 50-180°F.
 - Double Wall Brazed Plate Heat Exchanger 316L stainless steel plates. (AHRI 400 Rated)
 - Compact Footprint
 - Modular design with simplex and duplex heat exchanger options available for built-in redundancy and extra capacity.
 - Advanced electronic PID controls compatible with Building Management
 Systems
 - Fully Assembled- Skid Mounted Package for quick and easy single point connections
 - Certifications: ASME, UL (Controls)



SP SERIES

STP SERIES





SS SERIES

- Unfired Steam Generator
- Fiberglass Insulation
- 20 Gauge Steel Jacket With Enamel Paint
- Structural Steel Support Skid Base
- Boiler Steam / Clean Steam
 Pressure Gauges
- Blow Off Manual & Automatic
- Gauge Glass
- Steam Separator
- High Pressure & Low Water Cut Off
- ASME Pressure Relief Valve
- Total Dissolved Solids Monitor
 (optional)
- Certifications: ASME, UL (Controls)



PLATE & FRAME HEAT EXCHANGERS

- Single and Double wall construction
- Up to 24" ports
- Plate material- 304, 316, Titanium
- High thermal efficiency
- Low hold-up volume
- Easy maintenance

.

- Cost-effective solutions especially when exotic materials are required
- Certifications: ASME, AHRI 400 Available
- Replacement Parts Available



SHELL & TUBE HEAT EXCHANGERS & REPLACEMENT BUNDLES

- Custom & Standard Designs
- Generator Coolers
 - Intercoolers/ Aftercoolers
 - Gas Reboiler
- Steam Dump Condensors
- Oil Heaters
- and more

•

- U Tube & Straight Tube Design
- Carbon Steel, Stainless Steel &
- Exotic Alloy Materials ASME Tested and Stamped



BRAZED PLATE HEAT EXCHANGERS

- Radiant Heating
- Snow Melt
- HVAC/ Refrigeration
- Domestic Hot Water
- Other applications



HVAC COILS

- Water, Steam and other mediums
- High pressure applications
- In a full range of materials including copper, brass, aluminum, stainless steel, carbon steel and 90/10 Cupro-Nickel, Plate Fin and Helical Fin




LINDY TANKLESS COILS

- Up to 10,000 GPH
- Domestic Hot Water
- U Tube Design
 Copper CuNi a
 - Copper, CuNi and Exotic Alloy Materials
- ASME Tested & Stamped (optional)

CERTIFICATE OF QUALIFICATION

The National Board of Boiler and Pressure Vessel Inspectors (R Stamp)




CERTIFICATE OF QUALIFICATION

The National Board of Boiler and Pressure Vessel Inspectors (NB Stamp)



CERTIFICATE OF QUALIFICATION

ASME- The American Society of Mechanical Engineers



INDUSTRIES

Our team can provide solutions to a broad range of industries and market sectors, including Oil and Gas, Chemical, Power Generation, Pharmaceautical, Paper and Pulp, Food and Beverage.



PETROCHEMICAL AND OIL & GAS



POWER GENERATION



PAPER & PULP



CHEMICAL



PHARMACEUTICAL



FOOD & BEVERAGE

CUSTOMERS

Our customers come from a wide range of Industries. We develop solutions in close cooperation with our customers which meet the full measure of requirements for the particular environment.



REFERENCE LIST

We believe that our business starts with the customer. Our commitment to the highest standards of service excellence sets us apart from our competitors.

Company:	NFM Welding Engineers, Inc.
Contact:	Chris Tucker
Title:	Director of Process Engineering
Address:	577 Oberlin Road, Massillon, OH 44647
Phone:	330-837-3868
Email:	ctucker@nfm.net
Web:	www.nfm.net
Company:	Seneca Farms Biochar LLC
Contact:	John H Schwartz
Title:	Process Engineer
Address:	1880 East Ridge Road, Rochester, NY 14622
Phone:	585-484-0601
Email:	johns@sfbiochar.com
Web:	www.sfbiochar.com
Company:	Unique Systems Inc.
Contact:	Bob Harris
Title:	Engineering Manager
Address:	4 Saddle Road, Cedar Knolls, NJ 07927
Phone:	973-455-0440
Email:	rharris@uniquesystems.com
Web:	www.uniquesystems.com

TESTIMONIAL

"DHT was very helpful in the design of the heat exchangers for our new Bio Mass pryolsis equipment. The kiln (HBK-1000) has the ability to produce consistent high volume, high quality carbon products. Seneca Farms Biochar's core configuration produces biochar, wood vinegar and excess heat energy, which in the simplest case can be used to pre-dry feedstock and/or provide heat to buildings, agricultural and industrial processes. DHT was knowledgable, easy to work with and were cost effective . DHT did everything they promised and would highly recommend them for your heat transfer needs."

John H Schwartz Seneca Farms Biochar LLC

REFINERY HEAT EXCHANGERS

Location: Universal Lubricants Plant - Wichita, KS

DHT Model No.: AEL10S1-240-X, AEL8S1-192-1,2_S, AEL8S1-120-X, AEU10S2-240

1800 PSI High Pressure design heat exchangers with specially designed expansion joints in service of blending, minirefining and distribution of engine oil.



REFINERY HEAT EXCHANGERS

Location: Heartland Refinery Groups - Columbus, OH DHT Model No.: NEN24S1-168, NENE24-288-X-1,2

Heptan Vapors Condenser and Twin Oil Heaters with specially designed expansion joints were thermally and mechanically designed for lube oil refinery service.

.....



STEAM DUMP CONDENSER

Location: Heat Recovery Plant - Santa Anna, CA

DHT Model No.: AEL20B1-72-1,2

These two twin steam dump condensers are used to recover large amount of steam from turbine trip off and start up.



VACUUM STEAM EJECTOR SKIDS

LOCATION: Nitech Vacuum Systems- New Jersey Model No.: BEU10B2-94 Intercondenser, & BEU8B2-58 Aftercondenser

Stacked system of Two Heat Exchangers in Series DHT

PROCESS HEATER

LOCATION: Biexin, China Model No.: BEM20S1-192

Foam rubber process heater special design expansion joint all 316 stainless steel.

NUCLEAR CYCLOTRON COOLER

LOCATION: Texas A&M University- College Station, Texas

.....

BEU alll 316 stainless steel construction.







HIGH PRESSURE NATURAL GAS COOLER

Location: Combines Cycle Power Plant- New Jersey DHT Model No.: BEU18B2-36

This gas-to-gas heat exchanger cools down high pressure and temperature gas with atmospheric air



MARINE SERVICE HEAT EXCHANGER

Location: Maersk Marine DHT Model No.: BEM30A1-96-X

This Low Pressure Steam To Sea Water Heat Exchanger with expansion joint is installed on a large cargo ship



LOW PRESSURE VACUUM GAS REBOILER

Location: BP- Toledo, Ohio

DHT Model No.: BEM24S1-60

This Vacuum Gas Heat Exchanger with specially designed rod baffle is designed to minimize the pressure drop on the process gas side of the unit



HASTELLOY PHARMACEUTICAL HEAT EXCHANGER

Location: Cambrex Pharmaceutical- Charles City, IA

DHT Model No.: NEN20S1-144-X

This Hastelloy C-276/SS316 Shell & Tube Crygenic Service Condenser us designed to condense DCM (dychloromethane) using low temperature cryo fluid as a cooling medium. DHT manufactured Four (4) units for Cambrex Pharmaceutical Plant



PHARMACEUTICALS STAINLESS STEEL HEAT EXCHANGER

Location: Pfizer, Inc- Kalamazoo, MI

DHT Model No.: NEN14B1-120

This entire SS316 Shell & Tube Heat Exchanger condenses methylene chloride vapors in tubes and is used for chemical distillation process



LEAN/RICH AMINE HEAT EXCHANGER

LOCATION: EFS Midstream- Natural Gas Plant, Pawnee, TX

DHT Model No.: BGM18A4-240-1,2_S

This system of two heat exchangers in series vaporizes reach amine on the tube side while cooling down lean amine on the shell side



REFINERY HEAT EXCHANGERS

Location: North Atlantic Refining Limited (NARL)-Newfoundland, Canada

DHT Model No.: BFU34B4-216

This two pass shell heater is used in refinery process called "fractionation bottoms debottlenecking" vaporizing stripper feed on the tube side when supplied with fractionator bottoms (hot oil) on the shell side

STANDARD CONDENSATE PREHEATER

Location: Manhattan, NY

DHT Model No.: SC12B2-72

This shell and tube u-tube heat exchanger preheats condensate before it is fed into the boiler to supply clean steam to deaerator





INDUSTRIAL DRIER

Location: Wyssmont Company- Fort Lee, NJ DHT Model No.: E-20S1-144 Straight tube one pass heat exchanger



HOT OIL HEATER

Location: Cavendish Farms- Nova Scotia, Canada DHT Model No.: BEU-30B2-240 CRN ASME Vessel all carbon steel construction with 316 stainless steel tubes.

LUBE OIL COOLERS

Location: US Army Corp of Engineers- Gavins Point, IA DHT Model No.: TBW-24B2-168 Hydro Electric Dam Lube Oil Coolers





TUBE BUNDLE

Location: Combined Cycle Power Plant- San Diego, CA DHT Model No.: TBW10B2-96

.....

Titanium Tube Bundle for ocean water power plant cooling





CONTACT US:

439 Main Rd., Route 202 Towaco, NJ 07082

Phone: 718-386-6666 Toll Free: 800-221-1522 Email: sales@dhtnet.com

Web: www.dhtnet.com