

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
50-120	125	SPB-62D	12	1	54	55	8
		SPB-90D	16	1	56	105	8
		SPB-118D	22	1	79	106	8
		SPB-174D	27	1	80	101	8
		SPB-222D	31	1	81	98	8
	130	SPB-62D	18	1	54	107	8
		SPB-90D	22	1	56	103	8
		SPB-118D	30	1	79	103	8
		SPB-174D	36	1	80	99	8
		SPB-222D	40	1	81	95	8
	140	SPB-62D	26	1	54	106	8
		SPB-90D	32	1	56	100	8
		SPB-118D	44	1	79	101	8
		SPB-174D	51	1	80	95	8
		SPB-222D	56	2	81	92	8
	150	SPB-62D	35	2	54	105	8
		SPB-90D	41	2	56	99	8
		SPB-118D	57	2	79	99	8
		SPB-174D	65	2	80	93	8
		SPB-222D	71	2	81	89	8
	160	SPB-62D	42	2	54	106	8
		SPB-90D	50	2	56	98	8
		SPB-118D	69	2	79	99	8
		SPB-174D	78	3	80	92	8
		SPB-222D	84	3	81	87	8
	170	SPB-62D	50	3	54	105	8
		SPB-90D	58	3	56	98	8
		SPB-118D	80	3	79	99	8
		SPB-174D	90	3	80	91	8
		SPB-222D	97	4	81	86	8
	180	SPB-62D	57	3	54	106	8
		SPB-90D	66	3	56	98	8
		SPB-118D	91	4	79	99	8
		SPB-174D	102	4	80	91	8
		SPB-222D	109	4	81	86	8
	190	SPB-62D	64	4	54	107	8
		SPB-90D	74	4	56	98	8
		SPB-118D	102	5	79	100	8
		SPB-174D	114	5	80	90	8
		SPB-222D	121	5	81	85	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
	200	SPB-62D	71	5	54	108	8
		SPB-90D	81	5	56	99	8
		SPB-118D	113	6	79	100	8
		SPB-174D	125	6	80	91	8
		SPB-222D	133	6	81	85	8
	210	SPB-62D	78	6	54	109	8
		SPB-90D	89	6	56	99	8
		SPB-118D	124	7	79	100	8
		SPB-174D	137	7	80	90	8
		SPB-222D	144	7	81	86	8
	220	SPB-62D	85	6	54	110	8
		SPB-90D	96	6	56	100	8
		SPB-118D	134	7	79	101	8
		SPB-174D	148	8	80	91	8
		SPB-222D	156	8	81	85	8
50-130	135	SPB-62D	12	1	54	117	8
		SPB-90D	15	1	56	114	8
		SPB-118D	21	1	79	114	8
		SPB-174D	26	1	80	109	8
		SPB-222D	30	1	81	105	8
	140	SPB-62D	17	1	54	115	8
		SPB-90D	21	1	56	110	8
		SPB-118D	29	1	79	111	8
		SPB-174D	34	1	80	106	8
		SPB-222D	39	1	81	101	8
	150	SPB-62D	25	1	54	113	8
		SPB-90D	30	1	56	107	8
		SPB-118D	42	1	79	107	8
		SPB-174D	49	1	80	101	8
		SPB-222D	53	1	81	98	8
	160	SPB-62D	32	1	54	113	8
		SPB-90D	38	1	56	106	8
		SPB-118D	53	2	79	106	8
		SPB-174D	61	2	80	99	8
		SPB-222D	66	2	81	95	8
	170	SPB-62D	39	2	54	112	8
		SPB-90D	46	2	56	104	8
		SPB-118D	64	2	79	105	8
		SPB-174D	73	2	80	97	8
		SPB-222D	78	2	81	93	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
50-140	180	SPB-62D	46	2	54	112	8
		SPB-90D	53	2	56	104	8
		SPB-118D	74	3	79	105	8
		SPB-174D	84	3	80	96	8
		SPB-222D	90	3	81	91	8
	190	SPB-62D	52	3	54	113	8
		SPB-90D	60	3	56	104	8
		SPB-118D	84	3	79	105	8
		SPB-174D	94	4	80	96	8
		SPB-222D	101	4	81	90	8
	200	SPB-62D	58	3	54	114	8
		SPB-90D	67	3	56	104	8
		SPB-118D	94	4	79	105	8
		SPB-174D	105	4	80	95	8
		SPB-222D	111	4	81	90	8
	210	SPB-62D	65	4	54	114	8
		SPB-90D	74	4	56	104	8
		SPB-118D	103	5	79	106	8
		SPB-174D	115	5	80	95	8
		SPB-222D	122	5	81	90	8
220	SPB-62D	71	5	54	115	8	
	SPB-90D	81	5	56	104	8	
	SPB-118D	113	5	79	106	8	
	SPB-174D	125	6	80	95	8	
	SPB-222D	132	6	81	90	8	
50-140	145	SPB-62D	11	1	54	127	8
		SPB-90D	15	1	56	121	8
		SPB-118D	20	1	79	122	8
		SPB-174D	26	1	80	116	8
		SPB-222D	29	1	81	113	8
	150	SPB-62D	16	1	54	123	8
		SPB-90D	20	1	56	118	8
		SPB-118D	28	1	79	118	8
		SPB-174D	33	1	80	113	8
		SPB-222D	37	1	81	109	8
	160	SPB-62D	24	1	54	120	8
		SPB-90D	29	1	56	113	8
		SPB-118D	40	1	79	114	8
		SPB-174D	46	1	80	108	8
		SPB-222D	51	1	81	103	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
	170	SPB-62D	30	1	54	120	8
		SPB-90D	36	1	56	112	8
		SPB-118D	50	2	79	113	8
		SPB-174D	58	2	80	105	8
		SPB-222D	63	2	81	100	8
	180	SPB-62D	37	2	54	118	8
		SPB-90D	43	2	56	111	8
		SPB-118D	60	2	79	112	8
		SPB-174D	68	2	80	104	8
		SPB-222D	74	2	81	98	8
	190	SPB-62D	43	2	54	118	8
		SPB-90D	50	2	56	110	9
		SPB-118D	69	2	79	111	8
		SPB-174D	78	3	80	102	8
		SPB-222D	84	3	81	97	8
	200	SPB-62D	48	2	54	120	8
		SPB-90D	56	2	56	110	9
		SPB-118D	78	3	79	111	8
		SPB-174D	88	3	80	101	8
		SPB-222D	94	3	81	96	8
	210	SPB-62D	54	3	54	120	8
		SPB-90D	63	3	56	109	8
		SPB-118D	87	4	79	111	8
		SPB-174D	97	4	80	101	8
		SPB-222D	104	4	81	94	8
220	SPB-62D	60	3	54	120	8	
	SPB-90D	69	4	56	109	8	
	SPB-118D	96	4	79	111	8	
	SPB-174D	106	4	80	101	8	
	SPB-222D	113	5	81	94	8	
50-150	155	SPB-62D	11	1	54	135	8
		SPB-90D	14	1	56	130	8
		SPB-118D	20	1	79	130	8
		SPB-174D	25	1	80	124	8
		SPB-222D	28	1	81	120	8
	160	SPB-62D	16	1	54	130	8
		SPB-90D	19	1	56	126	8
		SPB-118D	27	1	79	126	8
		SPB-174D	32	1	80	120	8
		SPB-222D	36	1	81	116	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
	170	SPB-62D	23	1	54	127	8
		SPB-90D	27	1	56	122	8
		SPB-118D	38	1	79	122	8
		SPB-174D	45	1	80	114	8
		SPB-222D	49	1	81	110	8
	180	SPB-62D	29	1	54	126	8
		SPB-90D	34	1	56	119	8
		SPB-118D	48	1	79	119	8
		SPB-174D	55	2	80	111	8
		SPB-222D	60	2	81	106	8
	190	SPB-62D	35	2	54	125	8
		SPB-90D	41	2	56	117	9
		SPB-118D	57	2	79	118	8
		SPB-174D	65	2	80	109	8
		SPB-222D	70	2	81	104	8
	200	SPB-62D	40	2	54	126	8
		SPB-90D	47	2	56	116	9
		SPB-118D	65	2	79	118	8
		SPB-174D	74	2	80	108	8
		SPB-222D	80	3	81	101	8
	210	SPB-62D	45	2	54	127	8
		SPB-90D	53	2	56	115	8
		SPB-118D	74	3	79	116	8
		SPB-174D	83	3	80	106	8
		SPB-222D	89	3	81	100	8
220	SPB-62D	51	3	54	126	8	
	SPB-90D	59	3	56	115	8	
	SPB-118D	82	3	79	116	8	
	SPB-174D	91	3	80	106	8	
	SPB-222D	98	4	81	99	8	
50-160	165	SPB-62D	11	1	54	143	8
		SPB-90D	14	1	56	138	8
		SPB-118D	19	1	79	139	8
		SPB-174D	24	1	80	132	8
		SPB-222D	28	1	81	127	8
	170	SPB-62D	15	1	54	139	8
		SPB-90D	19	1	56	133	8
		SPB-118D	26	1	79	134	8
		SPB-174D	31	1	80	127	8
		SPB-222D	35	1	81	122	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
	180	SPB-62D	22	1	54	135	8
		SPB-90D	27	1	56	127	8
		SPB-118D	37	1	79	128	8
		SPB-174D	43	1	80	121	8
		SPB-222D	47	1	81	116	8
	190	SPB-62D	28	1	54	133	8
		SPB-90D	33	1	56	125	8
		SPB-118D	46	1	79	126	8
		SPB-174D	53	1	80	117	8
		SPB-222D	58	2	81	111	8
	200	SPB-62D	33	1	54	133	8
		SPB-90D	39	1	56	123	8
		SPB-118D	54	2	79	125	8
		SPB-174D	62	2	80	115	8
		SPB-222D	67	2	81	109	8
	210	SPB-62D	38	2	54	133	8
		SPB-90D	45	2	56	122	8
		SPB-118D	62	2	79	124	8
		SPB-174D	71	2	80	112	8
		SPB-222D	76	2	81	107	8
220	SPB-62D	43	2	54	132	8	
	SPB-90D	50	2	56	122	8	
	SPB-118D	70	2	79	123	8	
	SPB-174D	79	3	80	111	8	
	SPB-222D	84	3	81	106	8	
50-170	175	SPB-62D	11	1	54	151	8
		SPB-90D	14	1	56	145	8
		SPB-118D	19	1	79	146	8
		SPB-174D	24	1	80	139	8
		SPB-222D	27	1	81	135	8
	180	SPB-62D	15	1	54	147	8
		SPB-90D	18	1	56	141	8
		SPB-118D	25	1	79	142	8
		SPB-174D	31	1	80	134	8
		SPB-222D	34	1	81	130	8
	190	SPB-62D	21	1	54	143	8
		SPB-90D	26	1	56	134	8
		SPB-118D	36	1	79	135	8
		SPB-174D	42	1	80	127	8
		SPB-222D	46	1	81	122	8



SP SERIES: Double Wall- Brazed
50°F Inlet DHW

Domestic Water Inlet-Outlet Temp., °F	Boiler Water Inlet Temp., °F	SP / STP Series Model	Domestic Water		Boiler Water		
			GPM	Pressure Drop, PSIG	GPM	Outlet Temp., °F	Pressure Drop, PSIG
	200	SPB-62D	27	1	54	140	8
		SPB-90D	32	1	56	131	8
		SPB-118D	44	1	79	133	8
		SPB-174D	51	1	80	124	8
		SPB-222D	56	2	81	117	8
	210	SPB-62D	32	1	54	139	8
		SPB-90D	38	1	56	129	8
		SPB-118D	52	2	79	131	8
		SPB-174D	60	2	80	120	8
		SPB-222D	65	2	81	114	8
	220	SPB-62D	36	2	54	140	8
		SPB-90D	43	2	56	128	8
		SPB-118D	60	2	79	129	8
		SPB-174D	68	2	80	118	8
		SPB-222D	73	2	81	112	8
50-180	185	SPB-62D	11	1	54	159	8
		SPB-90D	13	1	56	155	8
		SPB-118D	19	1	79	154	8
		SPB-174D	24	1	80	146	8
		SPB-222D	27	1	81	142	8
	190	SPB-62D	15	1	54	154	8
		SPB-90D	18	1	56	148	8
		SPB-118D	25	1	79	149	8
		SPB-174D	30	1	80	141	8
		SPB-222D	34	1	81	135	8
	200	SPB-62D	21	1	54	149	8
		SPB-90D	25	1	56	142	8
		SPB-118D	35	1	79	142	8
		SPB-174D	41	1	80	133	8
		SPB-222D	45	1	81	128	8
	210	SPB-62D	26	1	54	147	8
		SPB-90D	31	1	56	138	8
		SPB-118D	43	1	79	139	8
		SPB-174D	50	1	80	129	8
		SPB-222D	54	1	81	123	8
	220	SPB-62D	30	1	54	148	8
		SPB-90D	36	1	56	136	8
		SPB-118D	50	2	79	138	8
		SPB-174D	58	2	80	126	8
		SPB-222D	63	2	81	119	8