



DHT Part #	GAC Part #	GPM	CFM	Fin Height	Fin Length	Rows	FPI	Circuits	60 F Entering Air & 140 Entering Water			60 F Entering Air & 160 Entering Water									
									MBTUH	L.A.T. F	L.W.T. F	MBTUH	L.A.T. F	L.W.T. F							
DHT 1215-2	W4-11033	2	550	12.5	15	2	10	2	19.64	87.73	120.09	24.47	95.77	135.09							
			775						21.49	85.37	118.23	27.13	92.03	132.39							
			1000						23.82	81.79	115.87	30.12	87.55	129.36							
		4	550						21.29	95.42	129.2	26.76	104.52	146.36							
			775						25.54	90.16	127.04	32.15	97.95	143.62							
			1000						28.85	86.39	125.37	36.34	93.25	141.49							
		6	550						22.4	97.26	132.42	28.12	106.78	150.44							
			775						27.24	92.16	130.78	34.23	100.41	148.36							
			1000						31.12	88.47	139.47	39.13	95.8	146.7							
		DHT 1218-2	W4-11791						5	900	12.5	18	2	10	2	30.77	91.28	127.51	38.69	99.33	144.23
										1000						32.41	89.71	126.82	40.83	97.36	140.35
										1100						34.03	88.3	129.19	42.8	95.6	142.55
7	900			32.33	92.86	130.63	40.59	101.26	148.17												
	1000			24.23	91.32	130.07	42.99	99.34	147.47												
	1100			35.99	89.94	159.56	45.22	97.61	146.83												
9	900			33.26	93.81	132.56	41.73	102.43	150.54												
	1000			35.29	92.29	132.04	44.3	100.53	149.96												
	1100			37.19	90.93	131.61	46.68	98.83	149.42												
DHT 1224-2	W4-15170			5	1000	12.5	24	2	10	2						36.15	93.07	125.33	45.41	101.54	141.49
					1100											37.98	91.59	124.49	47.72	99.69	140.55
					1200											39.68	90.26	123.9	49.87	98.02	139.68
		7	1000	38.06	94.82						128.97	47.76	103.7	146.09							
			1100	40.13	93.38						128.37	50.37	101.9	145.33							
			1200	42.07	92.07						127.81	52.81	100.27	144.62							
		9	1000	39.2	95.87						131.16	49.17	104.98	148.86							
			1100	41.43	94.46						130.66	51.96	103.22	148.22							
			1200	43.51	93.17						130.19	54.59	101.62	147.63							
		DHT 1520-2	W4-11034	4	900						15	2	2	10	4	30.94	91.45	124.31	39.03	99.67	140.12
					1150											34.65	87.56	122.44	43.75	94.81	137.72
					1400											37.61	84.58	120.94	47.54	91.07	135.8
8	900			35.08	95.66	131.1	44.11	104.84	148.75												
	1150			40.14	91.94	129.82	50.52	100.19	147.12												
	1400			44.29	89.01	128.74	55.91	96.54	145.75												
12	900			36.74	97.35	133.78	46.13	106.89	152.16												
	1150			42.4	93.73	132.83	53.27	102.38	150.94												
	1400			47.24	90.87	132.01	59.39	98.82	149.9												
DHT 1724-2	W4-11790			7	150	17.5	24	2	10	4						51.15	91.2	125.18	64.37	99.26	141.26
					1700											54.38	89.27	124.24	68.47	96.85	140.07
					1900											57.28	87.59	123.4	72.15	94.74	139
		9	150	53.55	92.66						127.93	67.32	101.07	144.75							
			1700	57.16	90.76						127.11	71.89	98.69	143.72							
			1900	60.42	89.1						126.38	76.02	96.61	142.78							
		11	150	55.19	93.66						129.82	69.34	102.29	147.15							
			1700	59.07	91.79						129.1	74.24	99.95	146.24							
			1900	62.6	90.14						128.45	78.7	97.9	145.41							



DHT Part #	GAC Part #	GPM	CFM	Fin Height	Fin Length	Rows	FPI	Circuits	60 F Entering Air & 140 Entering Water			60 F Entering Air & 160 Entering Water									
									MBTUH	L.A.T. F	L.W.T. F	MBTUH	L.A.T. F	L.W.T. F							
DHT 2020-2	W4-11469	6	1000	20	20	2	10	8	36.95	93.81	127.5	46.67	102.7	144.14							
			1500						44.78	87.31	124.86	56.68	94.57	140.75							
			2000						50.32	83.02	122.99	63.8	89.19	138.34							
		7.5	1000						38.64	95.35	129.54	48.73	104.59	146.75							
			1500						47.42	88.92	127.17	59.95	96.56	143.71							
			2000						53.82	84.62	125.44	68.14	91.17	141.49							
		8.6	1000						39.57	96.2	130.6	49.87	105.63	148.17							
			1500						48.9	89.83	128.46	61.77	97.68	145.36							
			2000						55.81	85.53	128.83	70.6	92.3	143.27							
		DHT 2025-2	W4-11073						10	1500	20	25	2	10	8	55.08	93.6	128.82	69.42	102.34	145.85
										2000						63.68	89.13	127.08	80.36	96.76	143.62
										2500						70.51	85.81	125.7	89.08	92.6	141.85
15	1500			58.65	95.77	132.06	73.77	104.99	149.97												
	2000			68.69	91.42	130.71	86.49	99.57	148.24												
	2500			76.9	88.14	129.6	96.92	95.47	146.82												
20	1500			60.63	96.98	133.84	76.18	106.47	152.23												
	2000			71.53	92.72	132.74	89.96	101.15	150.82												
	2500			80.58	89.49	131.82	101.42	97.12	149.66												
DHT 2030-2	W4-11074			15	1800	20	30	2	10	8						69.54	95.35	130.59	87.46	104.46	148.11
					2400											81.21	90.96	129.01	102.25	98.98	146.1
					3000											90.69	87.66	127.73	114.29	94.86	144.47
		20	1800	72.11	96.65						132.68	90.59	106.05	150.76							
			2400	84.87	92.36						131.39	106.73	100.69	149.11							
			3000	95.42	89.1						130.32	133.54	100.73	146.38							
		25	1800	73.76	97.49						134.01	92.59	107.07	152.44							
			2400	87.26	93.26						132.91	109.63	101.79	151.05							
			3000	98.52	90.05						132	137.77	102.02	148.76							
		DHT 1215-3	W4-11195	2	550						12.5	15	3	10	3	22.53	97.48	117.17	28.43	107.29	131.07
					775											26.14	90.86	113.53	33.04	99	126.4
					1000											28.9	86.44	110.75	36.58	93.47	122.82
4	550			26.39	103.91	126.61	33.2	115.23	143.08												
	775			31.94	97.71	123.81	40.24	107.5	139.51												
	1000			36.2	93.12	121.65	45.66	101.77	136.75												
6	550			27.95	106.5	130.54	35.11	118.4	148.07												
	775			34.42	100.63	128.36	43.28	111.09	145.29												
	1000			39.58	96.21	126.62	49.82	105.58	143.08												
DHT 1224-3	W4-15171			6	1000	12.5	24	3	10	3						46.45	102.5	124.36	58.34	113.38	140.19
					1200											51.44	99.22	122.62	64.64	109.29	138.05
					1400											55.75	96.44	121.16	70.11	105.82	136.21
		8	1000	48.53	104.4						127.69	60.9	115.72	144.48							
			1200	54.1	101.25						126.28	67.93	111.79	142.69							
			1400	59	98.56						125.04	74.12	108.44	141.12							
		10	1000	49.85	105.61						129.88	62.53	117.21	147.25							
			1200	55.81	102.55						128.07	70.04	113.4	145.72							
			1400	61.11	99.93						127.6	76.71	110.13	144.36							



DHT Part #	GAC Part #	GPM	CFM	Fin Height	Fin Length	Rows	FPI	Circuits	60 F Entering Air & 140 Entering Water			60 F Entering Air & 160 Entering Water		
									MBTUH	L.A.T. F	L.W.T. F	MBTUH	L.A.T. F	L.W.T. F
DHT 1520-3	W4-11075	4	900	15	20	3	10	6	37.82	98.45	120.83	47.75	108.54	135.69
			1150						42.43	93.76	118.5	53.64	102.68	132.7
			1400						46.05	90.1	116.67	58.29	98.09	130.35
		8	900						43.62	104.35	128.93	54.89	115.8	146.01
			1150						50.28	100.01	127.25	63.34	110.39	143.86
			1400						55.85	96.5	125.84	70.42	106.02	142.06
		10	900						44.99	105.74	130.87	56.56	117.5	148.46
			1150						52.19	101.53	129.41	65.68	112.25	146.61
			1400						58.3	98.1	128.17	73.43	107.99	145.03
DHT 2020-3	W4-11864	10	1500	20	20	3	10	8	65.44	99.92	126.72	82.45	110.29	143.19
			2000						76	94.77	124.58	95.88	103.86	140.46
			2500						84.32	90.86	122.9	106.49	98.97	138.31
		15	1500						69.86	102.61	130.55	87.86	113.59	148.05
			2000						82.34	97.67	128.86	103.68	107.43	145.91
			2500						92.5	93.85	127.49	116.59	102.67	144.16
		20	1500						72.32	104.11	132.66	90.84	115.41	150.73
			2000						85.94	99.31	131.28	108.06	109.44	148.98
			2500						97.22	95.58	130.13	136.07	109.8	146.13
DHT 2025-3	W4-11032	10	1500	20	25	3	10	8	70.52	103.01	125.69	88.74	114.13	141.92
			2000						82.56	97.77	123.26	104.02	107.58	138.81
			2500						92.13	93.72	121.32	116.19	102.52	136.34
		15	1500						75.02	105.76	129.85	94.24	117.49	147.19
			2000						89.16	100.79	127.94	112.14	111.3	144.76
			2500						100.8	96.89	126.37	141.09	111.63	140.83
		20	1500						77.47	107.26	132.14	97.24	119.31	150.08
			2000						92.85	102.48	130.58	116.65	113.37	148.1
			2500						105.73	98.7	129.27	147.84	114.11	144.93
DHT 2030-3	W4-11076	15	1800	20	30	3	10	8	88.79	105.13	127.99	111.54	116.7	144.84
			2400						105.14	100.08	125.78	147.01	116.04	140.03
			3000						131.72	100.17	122.19	165.76	110.55	137.49
		20	1800						92.02	106.77	130.66	115.49	118.7	148.22
			2400						109.96	101.92	128.84	153.62	118.56	144.34
			3000						138.88	102.36	125.91	174.59	113.25	142.21
		25	1800						94.06	107.81	132.36	131.22	126.7	149.29
			2400						113.06	103.1	130.82	157.85	120.18	147.12
			3000						143.54	103.78	128.35	180.3	114.99	145.3
DHT 2525-3	W4-12211	15	2000	25	25	3	10	10	94.45	103.21	127.22	132.09	120.43	142.05
			2500						107.18	99.23	125.51	150.02	114.9	139.62
			3000						131.11	99.99	122.28	165.18	110.38	135.57
		20	2000						98.43	105.03	130.01	137.53	122.92	145.98
			2500						112.57	101.2	128.58	157.41	117.61	143.46
			3000						132.82	100.51	126.53	167.6	111.11	142.92
		25	2000						98.2	104.93	132.03	137.38	122.85	148.79
			2500						112.33	101.11	130.88	157.28	117.56	147.17
			3000						138.41	102.21	138.41	174.44	113.2	145.77